



UK-CHINA TRADING

Your Trusted Partner in China



UK-China Trading Limited

UK Office: 2 Horsburgh Gardens, Balerno, Edinburgh, EH14 7BY

China Office: 安徽省旌德县, 河东北路37号 CHINA, 242600

Get a quote at www.uk-chinatrading.com




Examination Gloves



PRODUCTS DESCRIPTION	Nitrile Examination Gloves, Vinyl Gloves, Synthetic Gloves. Please specify the type required
BRAND	SnyGuard & Generic
CERTIFICATIONS	EN455, EN374, CE Cert, ISO:9001
SPECIFICATIONS	100% Latex Free, powder free, No allergy, Ambidextrous, AQL1.5, XS, S, M, L and XL 240mm
CASE SIZE	100 gloves/box, 10 box/ctn, 5.5kg, 35*27*25.0
FACTORY CAPACITY	2-3 million pcs a week
MINIMUM ORDER QUANTITY	50,000
PRICE PER UNIT	Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP

Type IIR Face Masks



PRODUCT DESCRIPTION	Type IIR MASK, BFE 98%, Splash Resistance
BRAND	ZhuShi
CERTIFICATIONS	ISO-13485, ISO-9001, 2017/745 Annex II, CE(Test Report & Declaration of conformity) EN-14683, EN ISO:11737, ISO:10993, CND T020601
SPECIFICATIONS	EN14683 Type IIR Surgical Mask 3ply, 30g PP nonwoven, +25g PP meltblown, +25gPP nonwoven BFE≥98% PFE≥30%
CASE SIZE	50p/box, 2000/ctn, 50 x 40 x 42, 9.5kgs
FACTORY CAPACITY	35,000,000 per week
MINIMUM ORDER QUANTITY	10,000
PRICE PER UNIT	Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP

Type I Face Masks




PRODUCT DESCRIPTION	Type I, 3ply face mask, BFE ≥ 95%, Elastic ear loops
BRAND	ZhuShi
CERTIFICATIONS	CE Certification, EN14683, ISO13485, FDA registered, Directive 93/42/EEC
SPECIFICATIONS	EN14683 Type 1 Medical Mask 3ply 30g PP nonwoven +20g PP meltblown +25gPP nonwoven BFE≥95%
CASE SIZE	50pcs per box, 40 box per carton, 53cm x 38cm x 30cm, 9kgs
FACTORY CAPACITY	10 million per week
MINIMUM ORDER QUANTITY	10,000
PRICE PER UNIT	Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP

3 Ply Face Masks



PRODUCT DESCRIPTION	Non medical 3 ply face masks, elastic ear loops
BRAND	AICARE
SPECIFICATIONS	Filtration Efficiency (level III): NaCl: 95%, Paraffin oil Particle: 89% Inspiratory resistance: 98Pa Expiratory resistance: 93Pa
CASE SIZE	50pcs per box, 2000 per carton, 50 x 40 x 42cm, 9.5kg
FACTORY CAPACITY	20 Million per day
MINIMUM ORDER QUANTITY	10,000
PRICE PER UNIT	Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP



Type II Face Masks



PRODUCT DESCRIPTION

Type II Face Masks (EN14683) with elastic ear loops, three ply.
BFE ≥98%

BRAND

UKCT

CERTIFICATIONS

CE Certification,
EN14683, Nelson Report,
ASTM D2101-07, ISO13485,
FDA registered,
Directive 93/42/EEC

SPECIFICATIONS

CE Approved Type II

CASE SIZE

50pcs per box, 40 box per carton,
53cm x 38cm x 30cm, 9kgs

FACTORY CAPACITY

10 million per week

MINIMUM ORDER QUANTITY PRICE PER UNIT

10,000
Please provide quantity for up to date price

INTCO TERMS

FOB, CIF or DDP



FFP2 Face Mask



PRODUCT DESCRIPTION	FFP2 Face Mask EN149			
BRAND	QQQ			
CERTIFICATIONS	Meets EN149:2001 + A1:2009 for FFP2 masks, CE conformity certificate, ISO9001, GB/T19001			
SPECIFICATIONS	Physical Properties	FFP2		
	Total Inward Leakage	Not More Than 8% Average		
	Penetration of filter material, maximum initial penetration of test aerosols	Sodium chloride test 95%/l/min % max	6	
		Paraffin oil test 95%/Lmin % max	6	
	Breathing resistance, maximum permitted resistance (mbar)	Inhalation 30 l/min	0.7	
Inhalation 95 l/min		2.4		
Exhalation 160 l/min		3		
CASE SIZE	400pcs/Ctn, 67 x 28 x 36cm, 6kgs			
FACTORY CAPACITY	5 thousand per week (order now for AUGUST production)			
MINIMUM ORDER QUANTITY	5,000			
PRICE PER UNIT	Please provide quantity for up to date price			
INTCO TERMS	FOB, CIF or DDP			



KN95 Face Mask (FFP2 Equivalent)



PRODUCT DESCRIPTION	KN95 Face Mask EN149 (FFP2 Equivalent)			
BRAND	Howin			
CERTIFICATIONS	Meets EN149:2001 + A1:2009 for FFP2 masks, CE conformity certificate, FDA Approved, Passed the The British Standards Institution (BSI) COVID-19 test for masks for use by healthcare workers			
SPECIFICATIONS	Physical Properties	FFP2		
	Total Inward Leakage	Not More Than 8% Average		
	Penetration of filter material, maximum initial penetration of test aerosols	Sodium chloride test 95%/l/min % max	6	
		Paraffin oil test 95%/Lmin % max	6	
	Breathing resistance, maximum permitted resistance (mbar)	Inhalation 30 l/min	0.7	
		Inhalation 95 l/min	2.4	
Exhalation 160 l/min		3		
CASE SIZE	2pc/bag, 20pc/box, 800pc/ctn, 58*42*40cm, 7kgs			
FACTORY CAPACITY	2 million per week			
MINIMUM ORDER QUANTITY	5,000			
PRICE PER UNIT	Please provide quantity for up to date price			
INTCO TERMS	FOB, CIF or DDP			

FFP3 Respirator Mask



PRODUCT DESCRIPTION	FFP3 Respirator Mask, EN149			
BRAND	MeiXin			
CERTIFICATIONS	Meets EN149:2001 + A1:2009 for FFP3 masks, CE conformity certificate, ISO9001, GB/T19001			
SPECIFICATIONS	Physical Properties	FFP3		
	Total Inward Leakage	Not More Than 2% Average		
	Penetration of filter material, maximum initial penetration of test aerosols	Sodium chloride test 95%/l/min % max	1.0	
		Paraffin oil test 95%/Lmin % max	1.0	
	Breathing resistance, maximum permitted resistance (mbar)	Inhalation 30 l/min	1.0	
		Inhalation 95 l/min	3.0	
Exhalation 160 l/min		3.0		
CASE SIZE	5pcs/box, 20boxes/ctn, 79.5x45.5x35.5cm, 6.62kgs			
FACTORY CAPACITY	5 thousand per week (order now for AUGUST production)			
MINIMUM ORDER QUANTITY	10 000			
PRICE PER UNIT	Please provide quantity for up to date price.			
INTCO TERMS	FOB, CIF or DDP			



N95 NIOSH Respirator Face Mask



PRODUCT DESCRIPTION	N95 NIOSH Respirator Face Masks FFP2/KN95 Grade Equivalent
BRAND	SQ100Sb
CERTIFICATIONS	EN14683, CE Marked, 93/42/EEC FDA Approved, CDC Approved ISO-13485, ISO-11135, ISO-9001
SPECIFICATIONS	N95 (FFP2/KN95 grade equivalent), BFE ≥ 98%, Cup-shaped
CASE SIZE	20pcs/box, 20 boxes/ctn, 62cm x 42 x 27cm, 6.5 kg
FACTORY CAPACITY	5,000,000 units per week
MINIMUM ORDER QUANTITY	50,000
PRICE PER UNIT	Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP

Reusable Poly Face Masks



PRODUCT DESCRIPTION	Anti-dust, Washable, Reusable, Foldable, Very Comfortable to wear, completely customised design
BRAND	UKCT
SPECIFICATIONS	Woven fabric in 100% polyester approx 180-220gsm. Optional nose clip, filter pocket & PM2.5 filter. All the binding tape of the masks are silk fabric in 95% polyester and 5% spandex with a lot of stretch. Elastic strap with micro rubber buckles to adjust strap length
CASE SIZE	45 x 37 x 38cm, 11Kgs, 500pcs/ctn
FACTORY CAPACITY	5000 pcs per day
MINIMUM ORDER QUANTITY	1000
PRICE PER UNIT	Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP

Reusable Cotton Face Masks



PRODUCT DESCRIPTION

Anti-dust, Washable, Reusable, Foldable, Very Comfortable to wear, black or white colour (optional bespoke screen print)

BRAND

UKCT

SPECIFICATIONS

100% cotton single jersey fabric approx 180-220gsm with anti bacteria treatment. Optional nose clip, filter pocket & PM2.5 filter. All the binding tape of the masks are silk fabric in 95% polyester and 5% spandex with a lot of stretch.
Elastic strap with micro rubber buckles to adjust strap length

CASE SIZE

45 x 37 x 38cm, 11Kgs, 500pcs/ctn

FACTORY CAPACITY

5000 pcs per day

MINIMUM ORDER QUANTITY PRICE PER UNIT

1000
Please provide quantity for up to date price

INTCO TERMS

FOB, CIF or DDP

Safety Screen (UK Made)



PRODUCT DESCRIPTION

This easy-to-assemble, robust screen fits any desk and ensures employers comply with social distancing guidelines

BRAND

The Safety Screen www.thesafetyscreen.co.uk

SPECIFICATIONS

Durable, crystal-clear high-grade PET screen
Different desk configurations available
(also made to measure options)
Providing a barrier that shields both parties from airborne pathogens such as Coronavirus (Covid-19)
Easy to clean

MINIMUM ORDER QUANTITY

1 unit from £100


PRICE PER UNIT

Please provide quantity for up to date price.
(Trade get 5-10% off list price)

DELIVERY


Next Day Delivery

Infrared Thermometer



PRODUCT DESCRIPTION	Medical Infrared Thermometer
BRAND	Cali MEDI
CERTIFICATIONS	CE, RoSH
SPECIFICATIONS	<p>Temperature measured in 1 second</p> <p>Can store 32 sets of results</p> <p>Measuring Distance 1-3cm</p> <p>Measurement distance: Centre of forehead</p> <p>LED display °C & °F</p> <p>Measuring range: 32.0°C - 43.0°C</p> <p>Accuracy: ± 0.3</p> <p>2 x AAA Batteries (Not included)</p> <p>Backlight LED digital display</p>
CASE SIZE	1pcs/box, 100box/ctn, 52.5*40.5*47.5cm, GW 13.4kg
FACTORY CAPACITY	20,000 - 50,000 per day
MINIMUM ORDER QUANTITY	100
PRICE PER UNIT	Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP

Sterile or Non-Sterile Surgical Gown



PRODUCT DESCRIPTION	Sterile or Non-Sterile Surgical Gown
BRAND	PureMed
CERTIFICATIONS	EN149, CE marked ISO13485, ISO9001 ISO11135
SPECIFICATIONS	40g - 45g SMS, lightweight and breathable, single use, durable tear-resistant, fluid proof S-XXL available.
CASE SIZE	48pcs/ctn, 44cm x 48cm x 35cm, 7kgs
FACTORY CAPACITY	300,000 per week
MINIMUM ORDER QUANTITY PRICE PER UNIT	1,000 Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP

Protective Coverall



PRODUCT DESCRIPTION	Category III Protective Coverall
BRAND	ZD
CERTIFICATIONS	93/42/EEC, CE test conformity, EN14126 (Protective clothing against infective agents) , ISO:13485, EN 14971, EN 1523-1, EN 1041:2008, EN 13795:2011
SPECIFICATIONS	Category III Protective Coverall, 65GSM, ASTM F1671:2013 using Phi-X174, Level 4, Breathable Film Composite Nonwoven, nylon zipper, Latex-free rubber band, Heat sealing tape 18mm
CASE SIZE	1p/bag, 40bag/ctn, 60 x 40 x 45cm, 13kgs
FACTORY CAPACITY	100,000 pcs per week
MINIMUM ORDER QUANTITY	1,000
PRICE PER UNIT	Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP



Anti-Fog Face Shield



PRODUCT DESCRIPTION	K183 FACESHIELD
BRAND	Wellong
CERTIFICATIONS	CE Marked, antifog
SPECIFICATIONS	330*220mm Hydrophilic Film, Antifog PET film 180um Sponge 270*35*35mm Elastic 20mm
CASE SIZE	80pcs/ctn, 38*41*38cm, 4.2kgs
FACTORY CAPACITY	40,000 pcs per week
MINIMUM ORDER QUANTITY	1,000
PRICE PER UNIT	Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP



Anti-Fog Eye Shield




PRODUCT DESCRIPTION	M213 FACEMASK TIE ON FASTENING FLUID RESISTANT ANTIFOG BAND NON STERILE Disposable Eye Shield
BRAND	Wellong
CERTIFICATIONS	CE Marked, antifog
SPECIFICATIONS	220*70mm, Hydrophilic film, Antifog PET 110um
CASE SIZE	150pcs/ctn, 34x26x21cm, 2kgs
FACTORY CAPACITY	100,000 pcs per week
MINIMUM ORDER QUANTITY PRICE PER UNIT	5,000 Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP



Protective Goggles



PRODUCTS DESCRIPTION	Anti Fog Protective Goggles with 4 valves
BRAND	Generic
CERTIFICATIONS	CE Certification, BSCI
SPECIFICATIONS	Anti-fog Goggles Size: 152*75*25mm Material: PVC, PC, Silicone Lens thickness: 1.5m - 2mm Weight: 75g
CASE SIZE	200pcs/ctn, 83*44*37cm, GW=16kg, 1pcs/opp bag
FACTORY CAPACITY	250k-500k per week
MINIMUM ORDER QUANTITY PRICE PER UNIT	1,000 Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP



Social Distance Floor Stickers



PRODUCTS DESCRIPTION	Clearly mark safe behaviour information non-slip laminate floor stickers
BRAND	UKCT
SPECIFICATIONS	PVC stickers with non-slip laminate. Choose from a range of different designs or a completely customised design. Popular size is 12in (a little bigger than a standard adult foot).
CASE SIZE	400pcs per box, 34cm x 34cm x 21cm; 15.3kg
FACTORY CAPACITY	50,000pcs/day
MINIMUM ORDER QUANTITY	2,000
PRICE PER UNIT	Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP

Automatic Soap Dispenser



PRODUCTS DESCRIPTION

1000ml Automatic soap gel/foam/spray dispenser. Infrared Auto- Sensing, Visible Window Low Voltage Indicator, Panel lockable, plastic container sensing distance 5-15 cm, Wall Mounted or option to include floor stand

BRAND

AOLQ

CERTIFICATIONS

CE and Rohs approved

SPECIFICATIONS

Capacity is 1000ml, Material is ABS plastic, Dimension are: 125 x 132 x 260 mm, Powered by 6 x AA batteries (not included) or optional AC/DC power supply, option to also include fluid drip tray, floor stand.

CASE SIZE

16pcs/ctn; 570 x 540 x 315mm; 16kg/ctn

FACTORY CAPACITY

1500 pcs/day

MINIMUM ORDER QUANTITY PRICE PER UNIT

48
Please provide quantity for up to date price

INTCO TERMS

FOB, CIF or DDP



Keychain Door Opener



PRODUCTS DESCRIPTION	This non-contact door opener keychain can help you avoid touching public surfaces, or any buttons.
BRAND	UKCT
SPECIFICATIONS	Material is zinc alloy, Gold or silver plating, 70mm x 30mm x 5mmT, Metal ring is 30mm + 2 ring-chain.
CASE SIZE	500pcs per box, 30cm x 25cm x 18cm
FACTORY CAPACITY	5000pcs/day
MINIMUM ORDER QUANTITY	1,000
PRICE PER UNIT	Please provide quantity for up to date price
INTCO TERMS	FOB, CIF or DDP



UK-China Trading

About Us

What we do: We have over 50 years of combined experience doing business in China. We cut out the middlemen and source directly from factories in China to give you the best prices. We have sold over £10 million of PPE products in 2020 so have lots of experience in this area.

What we offer: We typically offer a wide range of products, but are now focused on sourcing PPE products to help fight against the Covid-19 crises. As well as looking after the manufacturing and china customs clearance, we can also arrange UK customs & logistics and deliver directly to your door anywhere in the world.

Who we work with: We only deal with factories that meet all the EC/FDA requirements for your chosen product, with certificates (CE, FDA, EN, ISO, EC) issued by recognised 3rd party inspection companies that can be independently verified. We can also carry out during production or a pre-shipment inspection reports.

Where are we: We are based in Edinburgh, UK so we are always on hand to help you with your queries or questions. We also have an office in Anhui, China (the centre of the pharmaceutical industry in China) and a network of trusted contacts from factory inspectors to supply chain and distribution. We are your trusted partner in China.

Your Next Step: Get a quote at www.uk-chinatrading.com

Main Contacts:

Sales: ppe@uk-chinatrading.com

Sales: kerstin@uk-chinatrading.com M:+44(0)7939 260105

UK Director: damien@uk-chinatrading.com

Office/Finance: +44(0)1314789407

China Director: bing@uk-chinatrading.com

Transport/Logistics: andy@uk-chinatrading.com

Finance: abid@uk-chinatrading.com

China Tel: +86-13480151256